

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	682	709/223.ccls. and 709/224.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/05 17:15
S2	11	S1 and manag\$3 with network with infrastructure	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:51
S3	2	"5375199".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:52
S4	2	"5261044".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:54
S5	42	(store\$1 and compare\$1 and (output adj2 result)) and manag\$3 same network same infrastructure	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 10:07
S6	682	709/223.ccls. and 709/224.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 10:09
S7	36	S6 and manag\$3 near3 network and switched adj2 network	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 10:09
S8	1	store\$1 near3 expected same network same description	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:05
S9	11906	store\$1 same network same description	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:06
S10	5	S9 and compare\$3 with network adj2 infrastructure	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:21
S11	2	"5696701".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:21

S12	2	"6047320".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:51
S13	2383396	output\$3 or display\$3 with (list adj2 devices)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:53
S14	882	(output\$3 or display\$3) with (list adj2 device\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:53
S15	7	S14 and miss\$3 adj device\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:59
S16	1275	compar\$3 with graphical adj representation	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:10
S17	1	S16 and (current and expected) and network adj infrastructure	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:08
S18	1	S16 and S6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/07 10:14
S19	0	compare\$1 near3 graphical adj description	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/07 10:15
S20	73	compare\$1 same graphical with description	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/07 10:15
S21	682	709/223.ccls. and 709/224.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/07 10:16
S22	1	S20 and S21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:01
S23	34	compar\$3 near3 graph\$4 near2 (description or file or document)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:02
S24	135	709/223-224.ccls. and 715/734-736.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:42

S25	32	S24 and (monitor\$3 or manag\$6 or supervis\$3) same (network\$3 with topology\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:43
S26	12	S25 and ((change\$3 or updat3 or modif\$4) same config\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:50
S27	1686	(output\$3 or display\$2 ) same (miss\$3 with device \$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:51
S28	1	S27 and S24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:51
S29	35	S27 and different\$1 adj2 configuration\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:54
S30	0	(display\$1 or output\$1) same (miss\$4 with network adj device\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:00
S31	7	S24 and (output\$3 or display\$3 ) same (list\$1 adj2 device\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:16
S32	1	S24 and compar\$4 with ((graph\$6 adj2 description) or image\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:20
S33	1370865	display\$3 or output\$5 same miss\$4 adj device \$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:20
S34	32	(display\$3 or output\$5) same miss\$4 adj device \$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:43
S35	2	"5581764".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:43
S36	52	"5696701"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:00

S37	2	("5696701").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 17:28
S38	42	compar\$3 near3 (network adj topology)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:00
S39	2	(compar\$3 near3 (network adj topology)) with display	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:09
S40	1	display\$2 with difference \$1 with (network adj topology)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:15
S41	2	("6046988").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 18:26
S42	2	("5696701").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 18:26
S43	97	(output\$4 adj2 message \$1) with identical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:39
S44	2	S43 and network adj2 topology	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:43
S45	28	(compare\$2 adj2 description) and output \$3 with identical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:44
S46	0	(compare\$1 adj2 (network adj description)) and (output \$4 adj2 result )	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:09

S47	0	(compare\$1 with (network adj description)) and (output \$4 adj2 result )	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:09
S48	4	(compare\$1 with (network adj topology)) and (output\$4 adj2 result )	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:13
S49	36	(compare\$1 with XML) and (output\$4 adj2 result )	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:14
S50	0	(compare\$1 with XML) and (output\$4 adj2 result ) with identical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:14
S51	2	("20030009552").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 13:47
S52	3947	compar\$3 with result with identical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:50
S53	773	709/223.ccls. and 709/224.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/06/15 13:50
S54	0	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:50
S55	2	((("5995102") or ("5995102"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 18:04
S56	2	("20030069960").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:25

S57	2	("6735548").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:47
S58	2	("6047320").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:47
S59	6236	709/220,223.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 18:55
S60	0	S59 and (stor\$3 with topology with XML)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 18:56
S61	1	S59 and (stor\$3 with network with (topology or topography or description) with XML)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 19:07
S62	38	S59 and (compar\$3 with detect\$3 with (new or configuration\$1 or fail\$1 or block\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 19:40
S63	2	("20030009543").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 19:42
S64	2	("20020100027").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 19:43
S65	2	("6008805").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 19:44
S66	2	("20020133581").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 19:50

S67	2	("20020013811").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 19:50
S68	417	stor\$3 with (topology or description) with XML	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 17:09
S69	0	stor\$3 near3 (topology) near3 XML	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 16:50
S70	13	S68 and 709/220, "223". ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 16:54
S71	14	S68 and 709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 16:54
S72	432	(stor\$3 or compar\$3) with (topology or description) with XML	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 16:59
S73	15	S72 and 709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 16:59
S74	433	stor\$3 with (topology or description) with (XML or ((data or document) adj type adj definition) or DTD)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 17:08
S75	14	S74 and 709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 17:09
S76	13	S68 and network adj2 topology	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 18:06

S77	4564	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 18:06
S78	7077	709/220,223.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2006/10/13 16:23
S79	3	S78 and (compar\$3 with expect\$3 with current\$1 with (topology\$3 or network\$1))	US-PGPUB; USPAT; EPO	OR	ON	2006/10/13 16:25
S80	28	(compar\$3 with expect\$3 with current\$1 with (topology\$3 or network \$1))	US-PGPUB; USPAT; EPO	OR	ON	2006/10/13 16:33
S81	86	(compar\$3 with (expect \$3 or list\$1) with current \$1 with (topology\$3 or network\$1))	US-PGPUB; USPAT; EPO	OR	ON	2006/10/13 16:33
S82	1	("5581764").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2006/12/19 20:46

4/ 9/ 2008 3:26:20 PM

C:\Documents and Settings\kdivecha\My Documents\EAST\Workspaces\09971857.wsp